Appendix E – Amendment Bylaw 722.9 Changes in Context

Appendix E presents an example of the sections from Bylaw 722 that are proposed for amendment. It includes the proposed amendment wording (highlighted in red) as outlined in the staff report for Consideration of Third Reading and Adoption.

4.3 SUBDIVISION REQUIREMENTS

- 4.3.1 The calculation of minimum *parcel area* shall not include:
 - a) Area to be used for community sewer field and equipment;
 - b) Area to be dedicated for public open space, *park* or returned to the Province, except as permitted by the *Strata Property Act*; or
 - c) Area to be dedicated as a *highway*.
 - d) Area of land inclusive of and below the natural boundary of a *watercourse*, *waterbody*, or *wetland*;
 - e) Area of land that contains a Streamside Protection and Enhancement Area (SPEA), as established under the Provincial *Riparian Areas Protection Regulation*.
- 4.3.2 Where a proposed parcel is equal or greater than 3500 m² in area, it shall have a minimum of 2000 m² of continuous developable area which is not included within:
 - (a) a panhandle; or
 - (b) a right-of-way, hydro transmission corridor or an area restricted by covenant where the effect of the restriction imposed by the right-of-way or covenant prohibits the placement of a structure; or
 - (c) a streamside protection and enhancement area where the effect of the restriction imposed by the streamside protection and enhancement area prohibits the placement of a structure.
- 4.3.3 Where a proposed parcel is less than 3500 m² but not less than 2000 m² in area, it shall have a minimum of 1000 m² of continuous developable area which is not included within:
 - (a) a panhandle; or

- (b) a right-of-way, hydro transmission corridor or an area restricted by covenant where the effect of the restriction imposed by the right-of-way or covenant prohibits the placement of a structure; or
- (c) a streamside protection and enhancement area where the effect of the restriction imposed by the streamside protection and enhancement area prohibits the placement of a structure.

5.16 SETBACK FROM WATERBODIES AND WATERCOURSES

- 5.16.1 No, *building* or *structure* or any part thereof, except a boathouse located within an inter-tidal zone or within the I13 Zone, shall be constructed, reconstructed, moved, located or extended within:
 - a) 15 m of the *natural boundary* of the ocean;
 - b) 17 m of the *natural boundary* of a creek, lake, swamp or pond;
 - c) 32 m of the *natural boundary* of Chapman Creek, Tzoonie River, Clowhom River, Rainy River, McNab Creek, McNair Creek, Dakota Creek and Chickwat Creek;
 - d) 22 m of the *natural boundary* for the portion of Roberts Creek that is seaward of Lower Road;
 - e) In geographic areas that are in parts of Electoral Areas B, D, E and F not covered by an Official Community Plan:
 - 1) 32 m of the *natural boundary* of a *stream*;
 - 2) 32 m of the top of the bank of a *ravine* less the 60 m wide;
 - 3) 17 m of the top of the bank of a *ravine* 60 m wide or greater; and
 - f) 17 m of the *natural boundary* of all other *watercourses*.
- 5.16.2 Unless expressly authorized pursuant to a valid and subsisting Development Permit, as required, no removal, alteration, or destruction of vegetation, soil removal or deposit, may take place within:
 - a) 15 m of the *natural boundary* of the ocean;
 - b) 30 m of the *natural boundary* of a creek, lake, swamp or pond;
 - c) 30 m of the *natural boundary* of Chapman Creek, Tzoonie River, Clowhom River, Rainy River, McNab Creek, McNair Creek, Dakota Creek and Chickwat Creek;
 - d) 20 m of the *natural boundary* for the portion of Roberts Creek that is seaward of Lower Road;

- e) In geographic areas that are in parts of Electoral Areas B, D, E and F not covered by an Official Community Plan:
 - 1) 30 m of the *natural boundary* of a *stream*;
 - 2) 30 m of the top of the bank of a *ravine* less the 60 m wide;
 - 3) 15 m of the top of the bank of a *ravine* 60 m wide or greater; and
- f) 15 m of the *natural boundary* of all other *watercourses*.
- 5.16.3 No *building*, *structures*, or any part thereof shall be constructed, reconstructed, moved, located, or extended within 5 metres of a provincially approved Streamside Protection and Enhancement Area (SPEA), or the default Riparian Assessment Area if a provincially approved SPEA has not been established.